

Charter Township of Grand Blanc

Request for Bids

Grand Blanc Township is requesting bids for an 18 foot flat-bed tilt trailer with front stationary 4 foot deck, total deck length of 22 feet; Towmaster T-16 or equivalent.

Equipment bid specifications can be obtained online at www.twp.grand-blanc.mi.us or at the counter of the clerk's office at 5371 South Saginaw Street. The bids must be sealed and turned into the counter of the clerk's office by Tuesday, June 15, 2010 at 4 PM.

The Township reserves the right to reject any/or all proposals, waive irregularities, and make the award in the best interest of the Township. If additional information is required, please contact DPW Director Kirk Richardson at (810) 424-2720.

Charter Township of Grand Blanc
Bid Specifications for a Flat Bed Trailer

Specifications:

Capacity / Dimensions:

- Capacity Rating – 16,000 lbs
- Approx. Weight– 4,510 lbs
- Deck Height (empty) – 21.5”
- Overall Width – 8’ 6”
- Load Width – 80 “
- Length – 18’ tilt with 4’ foot stationary – total 22’

Tongue:

- Tongue Length – 5’
- One-Piece Cold-Formed Tongue
- Adjustable Hitch
- 3” Pintle Ring or 2-5/16” Ball Coupler
- 3/8” High – Tensile Safety Chain x 40”
- Storage Tray
- Storage Tray Lid
- Bolt-On Drop-Leg Parking Jack

Frame / Ramps:

- Main Bream – W6 x 12 Hi-Tensile
- 3” Channel Crossmembers
- Crossmembers 16” On-Center
- Headboard – 4”
- Side Rail Lip – 2”
- Oak Wood Deck
- 4’-0” Added Deck (Non-Tilting)
- Deck Cushion Cylinder
- Single-Handle Twin-Locking Latch
- Tilt Angle (18’-0” deck – degrees) – 10
- Tie Downs – Forged D-Rings
- Number of Tie Downs (Total / Side) – 8 / 4

Suspension / Tires:

- Dexter Torflex Rubber-Ride Axles w/ 5-Year Warranty
- Axle Capacity (Each) – 8,000 lbs
- Hubs – E-Z Lube
- Electric Brakes
- Brake Size – 12.25” x 3.38”
- Battery Break-Away Kit w/ Charger
- Wheels – 12.5” x 6.75”
- Wheel Bolt Pattern – 8 Bolt
- Tires / Load Range Rating – 215/75R x 17.5/H
- Poly Mud Flaps

Wiring / Finish:

- Weather Resistant Sealed Wiring
- Weather Resistant Lights
- LED Lights
- 6-Pole Round or 7-Pole RV Electrical Plug
- Registration Holder
- Rust Inhibiting Primer
- Durable, Rust Resistant Top Coat
- Durable, Die-Cut UV Resistant Vinyl Decals

Additional Requirements:

- Carlisle Break Controller
- Lockable Lid For Storage Tray
- Spare Tire/Rim
- Spare Tire Carrier
- Pallet Fork Holders

Must follow local and Federal D.O.T Laws, including Federal Motor Carrier Safety Regulations §392.9, §393.100, and §393.102, and stay within GVWR restrictions.